

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	{HOULT-DAVID-I}.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L2	9	{"4060039" "4795995" "4990850" "5841346").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L3	250	{mri magnetic near3 resonan\$3} and {detect\$3 sens\$3} near3 {ferrous ferromagnetic}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L4	28	{HOULT near3 DAVID}.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L5	0	{kopp near3 developement).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L6	7	ferralert	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L7	43	{mednovus).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L8	70	{quantum near3 magnetics).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25

L9	10880	(mri magnetic near3 resonan\$3) and (detect\$3 sens\$3) near3 (ferr\$3 ferr\$3magnetic magnetic metal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L10	4135	L9 and magnet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L11	1884	L10 and (detect\$3 sens\$3 probe transducer) near3 (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L12	1515	L11 and (person people user individual patient operator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L13	1427	L12 not L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L14	126	L13 and (threat\$5 danger\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L15	1301	L13 not L14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L16	352	L11 not L3 not L14 not L15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L17	3094	(coil winding) same (ferromagnetic magnetic ferrous iron threat danger\$3) and (coil winding) same (person people individual user patient operator) and magnet with (mri magnetic near3 resonan\$3) and magnet same (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25

L18	205624	(detect\$3 sens\$3 determin\$5) near3 (ferromagnetic magnetic ferrous iron threat danger\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L19	1022	L17 and L18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L20	1022	L19 and (ferromagnetic magnetic ferrous iron)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L21	169	metal adj detector and (mri magnetic near3 resonan\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L22	18208	324/207.15,207.16,207.17,207.26,228,232,233,234,236,239,244,246,247,249,252,253,254,255,258,259,260,261,262,263.ccls. 600/407,409,410,431.ccls. 340/551,552,686.1,686.6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L23	1744	L22 and (coil winding) same (ferr\$3 ferr\$2magneti\$4 magnetic iron) and (person patient user individual operator people) and magnet same (ferr\$3 ferr\$2magneti\$4 magnetic iron)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L24	15	(mri magnetic near3 resonan\$3) with (pre\$1screen\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L25	9327	600/407,409,410.ccls. 324/228,232,243,244,258,260,261,262,263.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L26	46939	mri	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25

L27	107	L26 and hall with (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L28	150	hall with (coil winding) and (hall coil winding) with (detect\$3 sens\$3) with (field flux) with (ferrous ferromagnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L29	7	324/207.26.ccls. and hall with (coil winding) and (ferrous ferromagnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L30	718	differential\$3 near3 wound with (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L31	74	differential\$3 near3 wound with (coil winding) same (detect\$3 sens\$3) same (field flux)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L32	18208	324/207.15,207.16,207.17,207.26,228,232,233,234,236,239,244,246,247,249,252,253,254,255,258,259,260,261,262,263.ccls. 600/407,409,410,431.ccls. 340/551,552,686.1,686.6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L33	801	L32 and (coil winding) with (cancel\$5 eliminat\$5 reduc\$5 minimiz\$5) near3 (field flux interfer\$4 noise external)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L34	757	L33 and (coil winding) with (ferrous ferromagnetic magnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L35	486	L34 and (coil winding) same (detect\$3 sens\$3) near3 (ferrous ferromagnetic magnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25

L36	726	340/551.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L37	12	("6362739").URPN.	USPAT	OR	ON	2008/06/09 05:25
L38	28	("3430221" "3697996" "3839700" "3971983" "4012690" "4024468" "4060039" "4357535" "4449115" "4605898" "4821023" "4837556" "4866424" "4906973" "5039981" "5121105" "5498959" "5521583" "5552705" "5552766" "5689184" "5747719" "5790685" "5831431" "5841346" "5868360" "5877706").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/09 05:25
L39	548	(mri magnetic near3 resonan\$3) and (sens\$3 detect\$3 determin\$5) near3 (enter\$3 entry) same (person individual people operator user patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L40	84	L39 and (sens\$3 detect\$3) near3 (ferrous ferromagnetic magnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L41	57	L36 and motion near3 (detect\$3 sens\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L42	27	L36 and (sens\$3 detect\$3 determin\$5) near3 (enter\$3 entry) same (person individual people operator user patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L43	43	L32 and (sens\$3 detect\$3 determin\$5) near3 (enter\$3 entry) same (person individual people operator user patient) and (detect\$3 sens\$3 determin\$5) near3 (exit\$3 departur\$3 leav\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L44	4134	L32 and (photo\$1sens\$3 infra\$1red optic\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L45	145	L44 and (photo\$1sens\$3 infra\$1red optic\$5) same (enter\$3 entry) and (photo\$1sens\$3 infra\$1red optic\$5) same (exit\$3 leav\$3 depart\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25

L46	1596	L32 and (vibrat\$3 anti\$1vibrat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L47	6	L46 and (vibrat\$3 anti\$1vibrat\$3) with (minimiz\$3 reduc\$3 eliminat\$3) same (portab\$5 platform mobil\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L48	183	L46 and (vibrat\$3 anti\$1vibrat\$3) with (minimiz\$3 reduc\$3 eliminat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L49	18208	324/207.15,207.16,207.17,207.26,228,232,233,234,236,239,244,246,247,249,252,253,254,255,258,259,260,261,262,263.ccls. 600/407,409,410,431.ccls. 340/551,552,686.1,686.6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L50	146	L49 and (anti\$1vibrat\$3 (stop\$4 eliminat\$3 reduc\$3 damp\$3 minimiz\$3) near\$3 vibrat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L51	1288	324/207.24,207.26.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:25
L53	40003	324/207.15,207.16,207.17,207.26,228-263.ccls. 600/407-421,431.ccls. 340/539.12,540,541,551,552,567,568.1,572,573.1,686.1,686.6.ccls. 324/300-322.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:40
L54	10915	53 and (ferromagnet\$3 magnetic ferrous iron steel) same (person patient user individual operator people intruder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:43
L55	2554	54 and (coil winding sens\$4 probe transducer detect\$4) same (cancel\$5 eliminat\$5 reduc\$5 minimiz\$5) near\$3 (field flux interfer\$4 noise external)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:46

L56	2294	55 and (coil winding sens\$4 probe transducer detect\$4) near3 (pair\$3 "2" two additional second\$3 multipl\$4 plural\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 05:48
L57	59182	(ferromagnet\$3 magnetic ferrous iron steel) same (person patient user individual operator people intruder) and (ferromagnet\$3 magnetic ferrous iron steel) with (sens\$4 detect\$4 probe transducer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 06:13
L58	38406	57 and (coil winding sens\$4 probe transducer detect\$4) same (cancel\$5 eliminat\$5 reduc\$5 minimiz\$5) near3 (field flux interfer\$4 noise external)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 06:13
L59	7429	58 and (coil winding sens\$4 probe transducer detect\$4) near3 (pair\$3 "2" two additional second\$3 multipl\$4 plural\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 06:14
L60	5631	59 and (ferromagnet\$3 magnetic ferrous iron steel) same (magnetic near3 (field flux))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 06:15
L61	1519	60 and (indicat\$3 alert\$3 warn\$3 signal\$3) with (threshold exceed\$3 (above below) near3 (reference value))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 06:16
L62	1169	61 not 56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 06:17
L63	1760	53 and (metal) same (person patient user individual operator people intruder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 06:30
L64	318	63 and (coil winding sens\$4 probe transducer detect\$4) same (cancel\$5 eliminat\$5 reduc\$5 minimiz\$5) near3 (field flux interfer\$4 noise external)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 06:31

L65	95	64 not 56 not 62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 06:31
L66	24023	(metal) same (person patient user individual operator people intruder) and (metal) with (sens\$4 detect\$4 probe transducer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 06:33
L67	2754	66 and (coil winding sens\$4 probe transducer detect\$4) same (cancel\$5 eliminat\$5 reduc\$5 minimiz\$5) near3 (field flux interfer\$4 noise external)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 06:33
L68	2493	67 and (coil winding sens\$4 probe transducer detect\$4) near3 (pair\$3 "2" two additional second\$3 multipl\$4 plural\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 06:34
L69	725	68 and (indicat\$3 alert\$3 warn\$3 signal\$3) with (threshold exceed\$3 (above below) near3 (reference value))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 06:35
L70	470	69 not 65 not 56 not 62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 06:35
L76	1392	340/539,12,552,567.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 06:47
L77	2194	324/234,239,260.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 06:48
L78	1581	340/540.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 07:30
L80	0	(324/207.26,234,239,260.ccls. 340/340,551.ccls.) and (ferromagnet\$3 and (cancel\$5 eliminat\$5 reduc\$5 minimiz\$5) near3 (field flux interfer\$4 noise external)).clm.	US-PGPUB	OR	ON	2008/06/09 07:47

L82	28	(HOULT near3 DAVID).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; IPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 07:48
L83	17	("20030171669" "4060039" "4795995" "4990850" "5841346" "6337627" "6337627" "6362739" "6567685").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; IPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 07:50

6/9/2008 8:18:46 AM
C:\Documents and Settings\dschindler\My Documents\EAST\Workspaces\10510493.wsp